

Krüger&Matz

# HOME AUDIO & TV





75" Ultra HD SMART TV



Resolution	3840x2160 px Ultra HD
Panel type	DLED
Brightness	370 cd/m2
Contrast	3000:1
Refresh rate	60 Hz
Response time	9 ms
HDR 10	Yes
Built-in DTV tuner	DVB-S, DVB-S2, DVB-T, DVB-T2, DVB-TC
Speakers	2x 12 W
I/O	3x HDMI input, 2x USB input
Network functions	Netflix, YouTube, Twitter, web browser
Standard VESA	600 x 200 mm
Dimensions with stand (WxHxD)	1684 x 1026 x 333 mm

65" Ultra HD SMART TV



Resolution	3840x2160 px Ultra HD
Panel type	DLED
Brightness	300 cd/m2
Contrast	3000:1
Refresh rate	60 Hz
Response time	8 ms
HDR 10	Yes
Built-in DTV tuner	DVB-S, DVB-S2, DVB-T, DVB-T2, DVB-TC
Speakers	2x 10 W
I/O	3x HDMI input, 2x USB input
Network functions	Netflix, YouTube, Twitter, web browser
Standard VESA	400 x 200 mm
Dimensions with stand (WxHxD)	1457 x 899 x 276 mm

55" Ultra HD SMART TV



Resolution	3840x2160 px Ultra HD
Panel type	DLED
Brightness	280 cd/m2
Contrast	3000:1
Refresh rate	60 Hz
Response time	9 ms
HDR 10	Yes
Built-in DTV tuner	DVB-S, DVB-S2, DVB-T, DVB-T2, DVB-TC
Speakers	2x 10 W
I/O	3x HDMI input, 2x USB input
Network functions	Netflix, YouTube, Twitter, web browser
Standard VESA	400 x 200 mm
Dimensions with stand (WxHxD)	1233 x 770 x 212,2 mm

# TV SETS

65" Ultra HD SMART TV



Resolution	3840x2160 px Ultra HD
Panel type	DLED
Brightness	300 cd/m2
Contrast	3000:1
Refresh rate	60 Hz
Response time	8 ms
HDR 10	Yes
Built-in DTV tuner	DVB-S, DVB-S2, DVB-T, DVB-T2, DVB-TC
Speakers	2x 8 W
I/O	3x HDMI input, 2x USB input
Network functions	Netflix, YouTube, Twitter, web browser
Standard VESA	400 x 200 mm
Dimensions with stand (WxHxD)	1460 x 898 x 272 mm

55" Ultra HD SMART TV



Resolution	3840x2160 px Ultra HD
Panel type	DLED
Brightness	280 cd/m2
Contrast	3000:1
Refresh rate	60 Hz
Response time	9 ms
HDR 10	Tak
Built-in DTV tuner	DVB-S, DVB-S2, DVB-T, DVB-T2, DVB-TC
Speakers	2x 8 W
I/O	3x HDMI input, 2x USB input
Network functions	Netflix, YouTube, Twitter, web browser
Standard VESA	400 x 200 mm
Dimensions with stand (WxHxD)	1242 x 780,1 x 284,1 mm



Resolution	1920x1080 px Full HD
Panel type	DLED
Brightness	240 cd/m2
Contrast	4000:1
Refresh rate	60 Hz
Response time	6,5 ms
Built-in DTV tuner	DVB-S, DVB-S2, DVB-T, DVB-T2, DVB-TC
Speakers	2x 8 W
I/O	3x HDMI input, 2x USB input
Network functions	Netflix, YouTube, Twitter, web browser, Deezer
Standard VESA	200 x 200 mm

Dimensions with stand (WxHxD) 969 x 610,6 x 220,7 mm



GET NEW POSSIBILITIES AND WATCH  
IMAGES FROM YOUR MOBILE  
DEVICE ON THE BIG SCREEN

Air Share 



Miracast | AirPlay | DLNA | MirrorOp



65", 55" Ultra HD



Resolution	3840x2160 px Ultra HD	3840x2160 px Ultra HD
Panel type	DLED	DLED
Brightness	330 cd/m2	330 cd/m2
Contrast	4000:1	5000:1
Refresh rate	60 Hz	50-60 Hz
Response time	6,5 ms	6,5 ms
Built-in DTV tuner	DVB-T, DVB-T2, DVB-TC	DVB-T, DVB-T2, DVB-TC
Speakers	2x 10 W	2x 10 W
HDMI input	3x	3x
USB port	2x	2x
Functions	Auto power off, snooze, EPG, USB multimedia, Time shift, PVR ready, hotel mode	
Standard VESA	400 x 200 mm	400 x 200 mm
Dimensions with stand (WxHxD)	1460 x 885 x 265 mm	1235 x 768 x 248 mm



48", 40", 32" Full HD



32" HD Ready



Screen size	48"	40"	32"
Resolution	1920x1080 px Full HD	1920x1080 px Full HD	1920x1080 px Full HD
Panel type	LED	LED	DLED
Brightness	250 cd/m2	260 cd/m2	200 cd/m2
Contrast	3000:1	4000:1	1000:1
Refresh rate	50-60 Hz	50-60 Hz	50-60 Hz
Response time	6,5 ms	8 ms	5 ms
Built-in DTV tuner	DVB-T, DVB-T2, DVB-C	DVB-T, DVB-T2, DVB-C	DVB-T, DVB-T2, DVB-C
Speakers	2x 8 W	2x 10 W	2x 8 W
HDMI input	3x	3x	2x
USB port	1x	1x	1x
Functions	Auto power off, snooze, EPG, USB multimedia, Time shift, PVR ready, hotel mode		
Standard VESA	400 x 200 mm	200 x 100 mm	200 x 100 mm
Dimensions with stand	1177 x 140 x 737 mm	930 x 248 x 610 mm	730 x 200 x 484 mm



Screen size	32"
Resolution	1366x768 px HD Ready
Panel type	LED
Brightness	220 cd/m2
Contrast	3000:1
Refresh rate	60 Hz
Response time	6,5 ms
Built-in DTV tuner	DVB-T, DVB-T2, DVB-C
Speakers	2x 5 W
HDMI input	2x
USB port	1x
Functions	Auto power off, EPG, USB multimedia, Time shift, PVR ready, hotel mode
Standard VESA	200 x 100 mm
Dimensions with stand	732 x 477 x 180 mm

# TV SETS



24" HD Ready



Screen size	
Resolution	1366x768 px HD Ready
Panel type	LED
Brightness	200 cd/m <sup>2</sup>
Contrast	1000:1
Refresh rate	50-60 Hz
Response time	5 ms
Built-in DTV tuner	DVB-T, DVB-T2, DVB-TC
Speakers	2x 3 W
HDMI input	3x
USB port	1x
Functions	Auto power off, snooze, EPG, USB multimedia, Time shift, PVR ready, hotel mode
Standard VESA	100 x 100 mm
Dimensions with stand (WxHxD)	740 x 500 x 210 mm



22" Full HD



Screen size	
Resolution	1920x1080 px Full HD
Panel type	DLED
Brightness	180 cd/m <sup>2</sup>
Contrast	4000:1
Refresh rate	60 Hz
Response time	6,5 ms
Built-in DTV tuner	DVB-T, DVB-T2, DVB-TC
Speakers	2x 3 W
HDMI input	1x
USB port	1x
Functions	Auto power off, snooze, EPG, USB multimedia, Time shift, PVR ready
Standard VESA	100 x 100 mm
Dimensions with stand (WxHxD)	508 x 345 x 134 mm





BUILT-IN DVB-T2 TUNER  
 POSSIBILITY OF CONNECTING EXTERNAL DEVICES  
 CAR AND AC POWER ADAPTERS INCLUDED

Screen	9" LCD
Display resolution	576i, 576p, 720p, 1080i, 1080p
Digital tuner	DVB-T2
Modulation	QPSK, 16QAM, 64QAM, 256QAM
Video decoder	MPEG-1/2/4 AVC/H.264: VC-1
Functions	Recordings playback, subtitles support, EPG, favorite channels list, parental control, PVR
I/O:	USB, mini HDMI output, RF antenna input, AV output/input, headphone output
Built-in rechargeable battery	1800 mAh
Dimensions (WxHxD)	254 x 162 x 21,65 mm







## KM 1908 MICRO SYSTEM

WIDE RANGE OF FUNCTIONS  
DEEP AND BALANCED SOUND  
MODERN DESIGN

Disc player	DVD, CD-audio, CD-mp3
FM radio	
Digital radio	DAB+
Bluetooth	
USB port	
AUX-in	2x RCA
Output power (RMS)	2x 80 W
Remote control	
Power supply	220-240 V / 50-60 Hz

### DIMENSIONS (WxHxD):

Main unit	250 x 145 x 255 mm
Speaker	181 x 287 x 230 mm



## KM 1598 MICRO SYSTEM

WIDE RANGE OF FUNCTIONS  
INCREDIBLE DESIGN  
HIGH QUALITY SOUND

Disc player	CD-audio, CD-mp3
FM radio	
Digital radio*	DAB+
Bluetooth + NFC	
USB port	
2x AUX-in	Jack 3,5 mm + 2x RCA
Output power (RMS)	2x 75 W
Remote control	
Power supply	220-240 V / 50-60 Hz

### DIMENSIONS (WxHxD):

Main unit	245 x 136 x 295 mm
Speaker	158 x 270 x 207 mm

\*Digital DAB+ radio available in the KM1598D

# MICRO SYSTEMS



## KM 1808 MICRO SYSTEM

HIGH FUNCTIONALITY  
PRECISE SOUND REPRODUCTION  
CLASSIC DESIGN

Disc player	DVD, CD-audio, CD-mp3
FM radio	
Digital radio	DAB+
Bluetooth + NFC	
USB port	
AUX-in	2x RCA
Output power (RMS)	2x 50 W
Remote control	
Power supply	220-240 V / 50-60 Hz

### DIMENSIONS (WxHxD):

Main unit	303 x 80 x 195 mm
Speaker	175 x 260 x 200 mm



## KM 1584CD MICRO SYSTEM

WIDE RANGE OF POSSIBILITIES  
POWERFUL AND CLEAR SOUND  
STYLISH DESIGN

Disc player	CD-audio, CD-mp3
FM radio	
Bluetooth	
USB port	
2x AUX-in	2x RCA + 2x RCA
Headphone output	Jack 3,5 mm
Output power (RMS)	2x 45 W
Remote control	
Power supply	220-240 V / 50-60 Hz

### DIMENSIONS (WxHxD):

Main unit	160 x 170 x 280 mm
Speaker	140 x 250 x 210 mm



## KM 1534 MICRO SYSTEM

HIGHLY FUNCTIONAL  
DEEP AND BALANCED SOUND  
STYLISH, CLASSIC DESIGN

Disc player	CD-audio, CD-mp3
FM radio	
Bluetooth	
USB port	
AUX-in	2x RCA
Output power (RMS)	2x 35 W
Remote control	
Power supply	220-240 V / 50-60 Hz

### DIMENSIONS (WxHxD):

Main unit	220 x 95 x 240 mm
Speaker	160 x 260 x 210 mm



## KM 1663.1 MICRO SYSTEM

INCREDIBLY FUNCTIONAL  
IMPECCABLE DESIGN  
HIGH QUALITY SOUND

FM radio	
Bluetooth	
USB port	External devices charging
2x AUX-in	Jack 3,5 mm + 2x RCA
Output power (RMS)	2x 15 W
Remote control	
Power supply	220-240 V / 50-60 Hz

### DIMENSIONS (WxHxD):

Main unit	160 x 75 x 225 mm
Speaker	130 x 190 x 185 mm

# RADIOS & BOOMBOXES



## KM 533 BOOMBOX

KARAOKE FUNCTION  
 REMOTE CONTROL  
 WIRELESS MICROPHONE INCLUDED

FM radio	
Bluetooth	
USB port	
Card reader	
AUX-in	Jack 3,5 mm
Microphone-in	Jack 6,3 mm
Guitar-in	Jack 6,3 mm
Speakers	4 speakers (2x 0,75"; 2x 5")
Output power (RMS)	2x 40 W
Built-in battery	4000 mAh
AC power supply	100-240 V / 50-60 Hz
Dimensions (WxHxD)	450 x 250 x 275 mm



## KM 3902 BOOMBOX

WIDE RANGE OF POSSIBILITIES  
 LIGHTWEIGHT AND COMPACT  
 PERFECT FOR TRAVELING

Disc player	CD-audio, CD-mp3
FM radio	
USB port	
Card reader	
AUX-in	Jack 3,5 mm
Headphone output	Jack 3,5 mm
Speakers	6 speakers
AC power supply	220-240 V / 50-60 Hz
DC power supply	6x LR14 battery
Power consumption	22 W
Dimensions (WxHxD)	330 x 120 x 220 mm



## KM 6101 BOOMBOX

INCREDIBLY FUNCTIONAL  
COMPACT SIZE AND FOLDABLE HANDLE  
OPTIONALLY POWERED BY BATTERIES

Disc player	CD-audio, CD-mp3
FM radio	
USB port	
AUX-in	Jack 3,5 mm
Headphone output	Jack 3,5 mm
Speakers	2 speakers
AC power supply	220-240 V / 50-60 Hz
DC power supply	6x LR14 battery
Power consumption	15 W
Dimensions (WxHxD)	200 x 115 x 205 mm



## KM 816 INTERNET RADIO

WORLDWIDE RADIO STATIONS  
SEVERAL SEARCHING OPTIONS  
BLACK CASING AND LCD DISPLAY

Radio FM	
Internet radio	
Connectivity	Wi-Fi
AUX-in	Jack 3,5 mm
Headphone output	Jack 3,5 mm
Output power (RMS)	2x 5 W
Speakers	2 speakers
Functions	Clock, weather, alarm, streaming music directly from PC, remote control
AC power supply	220-240 V / 50-60 Hz
Dimensions (WxHxD)	247 x 144 x 129 mm



## KM 815 RADIO ALARM

REMOTE CONTROL  
 POSSIBILITY OF CHARGING EXTERNAL DEVICES  
 STYLISH, ALUMINUM CASING

FM radio	
Digital radio	DAB+
Preset stations memory	
Bluetooth	
USB port	
AUX-in	Jack 3,5 mm
Output power (RMS)	2x 5 W
Functions	Dual alarm, snooze, sleep timer
AC power supply	220-240 V / 50-60 Hz
DC power supply	2x LR03 (memory backup)
Dimensions (WxHxD)	200 x 75 x 200 mm





## KM 1150 RADIO ALARM

IMPRESSIVELY FUNCTIONAL  
POSSIBILITY OF CHARGING EXTERNAL DEVICES  
STYLISH, ALUMINUM CASING

FM radio	
Preset stations memory	
Bluetooth	
USB port	
AUX-in	Jack 3,5 mm
Output power (RMS)	2x 3 W
Functions	Dual alarm, snooze, sleep timer
AC power supply	220-240 V / 50-60 Hz
DC power supply	CR2025 (memory backup)
Dimensions (WxHxD)	184 x 92 x 55 mm



## KM 814 RADIO ALARM

EASY-TO-USE  
LARGE, CLEAR DISPLAY  
ELEGANT, BLACK CASING

FM radio	
Preset stations memory	
Impedance	8 Ohm
Output power (RMS)	1x 1 W
Functions	Dual alarm, snooze, sleep timer
AC power supply	220-240 V / 50-60 Hz
DC power supply	CR2025 (memory backup)
Dimensions (WxHxD)	160 x 65 x 62 mm



## KM 813 RADIO ALARM

EASY-TO-USE  
LARGE, CLEAR DISPLAY  
ELEGANT, BLACK CASING

FM radio	
Preset stations memory	
AUX-in	Cord with Jack 3,5 mm
Output power (RMS)	1x 0,4 W
Functions	Dual alarm, snooze, sleep timer
AC power supply	220-240 V / 50-60 Hz
DC power supply	2x LR03 (memory backup)
Dimensions (WxHxD)	160 x 59 x 120 mm



# PATH

DEEP AND POWERFUL BASS SOUND  
 EXCELLENT, SURROUND SOUND  
 MODERN DESIGN

## SPEAKER SYSTEM



ACTIVE  
SUBWOOFER



Output power (RMS)	300 W
Frequency response	35 ~ 2500 Hz
Impedance	4 Ohm
S/N ratio	≥ 78 dB
Phase switch	0° / 180°
Crossover frequency	50 ~ 150 Hz
Line input, 2x high level input	
Speaker	12"
Power supply	220-240 V / 50-60 Hz
Power consumption (standby mode)	1 W

	FRONT SPEAKERS	CENTER SPEAKER	REAR SPEAKERS
Max. power	120 W	70 W	50 W
Frequency response	46 ~ 20 000 Hz	65 ~ 20 000 Hz	70 ~ 20 000 Hz
Impedance	6 Ohm	6 Ohm	6 Ohm
Sensitivity	91 dB	89 dB	88 dB
Speakers	3x 5,5", 1x 1"	2x 5,5", 1x 1"	1x 5,5", 1x 1"
Dimensions with stand (WxHxd)	263 x 1012 x 450 mm	460 x 165 x 190 mm	160 x 273 x 188 mm



# DESTINY

PERFECT TO ENHANCE TV SOUND  
POWERFUL BASS REPRODUCTION  
REMOTE CONTROL

## ACTIVE SPEAKER SYSTEM



FM radio	
Digital radio	DAB+
Bluetooth	
USB port	
SD card reader	
Speakers	2x 8", 1x 6,5", 1x 1"
Power supply	220-240 V / 50-60 Hz
Power consumption	300 W

Output power (RMS)	2x 100 W
Frequency response	38 ~ 20 000 Hz
Impedance	4 Ohm
Sensitivity	91 dB
Input sensitivity	500 mV
S/N ratio	70 dB
THD (1 kHz, 1 W)	0,5%
Bass (100 Hz)	± 10 dB
Treble (10 kHz)	± 10 dB

Dimensions with stand (WxHxD)

250 x 1075 x 330 mm

KM0532

# DESTINY

POWERFUL BASS SOUND  
 PERFECT SOUND REPRODUCTION  
 VENEERED WOOD AND BLACK GRILLS

## SPEAKER SYSTEM



ACTIVE  
SUBWOOFER

Output power (RMS)	200 W
Frequency response	40 ~ 200 Hz
Impedance	4 Ohm
S/N ratio	≥ 80 dB
Phase selection	0 ~ 180°
Bass extension	0 ~ 6 dB
Crossover frequency	40 ~ 200 Hz
Line input, line output	
Speaker	12"
Power supply	220-240 V / 50-60 Hz
Power consumption (standby mode)	0,5 W



	FRONT SPEAKERS	CENTER SPEAKER	REAR SPEAKERS
Max. power	120 W	60 W	45 W
Frequency response	38 ~ 20 000 Hz	70 ~ 20 000 Hz	70 ~ 20 000 Hz
Impedance	4 Ohm	6 Ohm	6 Ohm
Sensitivity	91 dB	89 dB	88 dB
Speakers	2x 8", 1x 6,5", 1x 1"	2x 5", 1x 1"	1x 5", 1x 1"
Dimensions with stand (WxHxD)	250 x 1070 x 330 mm	485 x 165 x 195 mm	165 x 280 x 190 mm



# PASSION

PERFECT TO ENHANCE TV SOUND  
EXCELLENT SOUND DYNAMICS  
REMOTE CONTROL

## ACTIVE SPEAKER SYSTEM

AVAILABLE IN TWO  
COLORS OF WOOD:



FM radio	
Digital radio	DAB+
Bluetooth	
USB port	
SD card reader	
Microphone-in	2x
Speakers	1x 8", 2x 5", 1x 1"
Power supply	220-240 V / 50-60 Hz
Power consumption	250 W

Output power (RMS)	2x 80 W
Frequency response	36 ~ 20 000 Hz
Impedance	4 Ohm
Sensitivity	91 dB
Input sensitivity	500 mV
S/N ratio	70 dB
THD (1 kHz, 1 W)	0,5%
Bass (100 Hz)	± 10 dB
Treble (10 kHz)	± 10 dB

Dimensions with stand (WxHxD)

223 x 1054 x 335 mm

Cherry - KM0512 | Black - KM0512B

# PASSION

DEEP, BALANCED SOUND  
POWERFUL BASS REPRODUCTION  
SLENDER, WOODEN SPEAKER CABINETS

## SPEAKER SYSTEM



ACTIVE  
SUBWOOFER

Output power (RMS)	120 W
Frequency response	50 ~ 150 Hz
Impedance	4 Ohm
S/N ratio	≥ 80 dB
Phase selection	0 ~ 180°
Crossover frequency	50 ~ 150 Hz
Line input, line output	
Speaker	10"
Power supply	220-240 V / 50-60 Hz
Power consumption (standby mode)	0,5 W



	FRONT SPEAKERS	CENTER SPEAKER	REAR SPEAKERS
Max. power	120 W	60 W	45 W
Frequency response	36 ~ 20 000 Hz	70 ~ 20 000 Hz	70 ~ 20 000 Hz
Impedance	4 Ohm	4 Ohm	4 Ohm
Sensitivity	91 dB	88 dB	87 dB
Speakers	1x 8", 2x 5", 1x 1"	2x 5", 1x 1"	1x 5", 1x 1"
Dimensions with stand (WxHxD)	190 x 1050 x 320 mm	510 x 190 x 210 mm	190 x 295 x 210 mm

# JOURNEY

POWERFUL AND CLEAR SOUND  
WIDE RANGE OF FUNCTIONS  
REMOTE CONTROL

## ACTIVE SPEAKER SYSTEM



FM radio	
Digital radio	DAB+
Bluetooth	
USB port	
SD card reader	
Microphone-in	2x
Speakers	1x 8", 2x 4", 1x 1"
Power supply	220-240 V / 50-60 Hz
Power consumption	150 W

Output power (RMS)	2x 60 W
Frequency response	50 ~ 20 000 Hz
Impedance	4 Ohm
Sensitivity	89 dB
Input sensitivity	500 mV
S/N ratio	70 dB
THD (1 kHz, 1 W)	0,5%
Bass (100 Hz)	± 10 dB
Treble (10 kHz)	± 10 dB

Dimensions with stand (WxHxD)

150 x 1045 x 315 mm

KM0511



# JOURNEY

HIGH FIDELITY SOUND  
SURROUND SOUND EFFECT  
BLACK, VENEERED WOOD

## SPEAKER SYSTEM



### FRONT SPEAKERS

Max. power	100 W
Frequency response	50 ~ 20 000 Hz
Impedance	4 Ohm
Sensitivity	89 dB
Speakers	1x 8", 2x 4", 1x 1"

Dimensions with stand (WxHxD) 150 x 1045 x 315 mm

### CENTER SPEAKER

Max. power	30 W
Frequency response	150 ~ 20 000 Hz
Impedance	4 Ohm
Sensitivity	87 dB
Speakers	2x 3", 1x 1"

Dimensions with stand (WxHxD) 310 x 105 x 135 mm

### REAR SPEAKERS

Max. power	20 W
Frequency response	150 ~ 20 000 Hz
Impedance	4 Ohm
Sensitivity	86 dB
Speakers	1x 3", 1x 1"

Dimensions with stand (WxHxD) 105 x 205 x 135 mm

# WAVE

WIDE RANGE OF POSSIBILITIES  
WIRELESS MICROPHONE  
REMOTE CONTROL

## ACTIVE SPEAKER SYSTEM

AVAILABLE IN TWO  
COLORS OF WOOD:



FM radio		
Bluetooth		
USB port		
Card reader		
Microphone-in	2x	
Speakers	1x 8", 1x 4", 1x 2"	
Power supply	220-240 V / 50-60 Hz	
Power consumption	42 W	
	Output power (RMS)	2x 42 W
	Frequency response	50 ~ 20 000 Hz
	Impedance	4 Ohm
	Separation	≥40 dB
	Input sensitivity	<500 mV
	S/N ratio	≥60 dB
	THD	0,1%

Dimensions (WxHxD) 152 x 665 x 293 mm

# STAGE ONE

WIRELESS MICROPHONE  
DEEP AND POWERFUL  
SOUND

## STAGE SYSTEM



FM radio		
Bluetooth		
USB port		
SD card reader		
Microphone-in	2x	
Guitar-in		
Speakers	1x 1,5", 1x 12"	
	Power supply	220-240 V / 50-60 Hz
	Output power (RMS)	2x 150 W
	Frequency response	35 ~ 20 000 Hz
	Impedance	4 Ohm
	Input sensitivity	<600 mV
	S/N ratio	≥89 dB
	THD	0,1%

Dimensions (WxHxD) 355 x 620 x 380 mm

## D19

KARAOKE FUNCTION  
REMOTE CONTROL

## ACTIVE SPEAKER SYSTEM



FM radio	
Bluetooth	
USB port	
Card reader	
AUX-in	Jack 3,5 mm
Microphone-in	Jack 6,3 mm
Guitar-in	Jack 6,3 mm
Output power	30 W

Speakers	1x 10" subwoofer 2x tweeter
Frequency response	40 ~ 20 000 Hz
Impedance	4 Ohm
S/N ratio	80 dB
THD	0,5 ~ 1%
Built-in battery	4500 mAh
Playback time	Up to 8 h

Dimensions (WxHxD) 325 x 530 x 238 mm

KM0531

## D18

KARAOKE FUNCTION  
REMOTE CONTROL

## ACTIVE SPEAKER SYSTEM



FM radio	
Bluetooth	
USB port	
Card reader	
AUX-in	Jack 3,5 mm
Microphone-in	Jack 6,3 mm
Output power	20 W

Speakers	1x 6,5" subwoofer 2x tweeter
Frequency response	40 ~ 20 000 Hz
Impedance	4 Ohm
S/N ratio	80 dB
THD	0,5 ~ 1%
Built-in battery	4400 mAh
Playback time	Up to 8 h

Dimensions (WxHxD) 260 x 430 x 200 mm

KM0530

www.krugermatz.com | 27 |





## ACTIVE SPEAKER SYSTEM

HIGH QUALITY SOUND  
WIDE RANGE OF POSSIBILITIES  
VENEERED WOOD SPEAKER CABINETS

## SPIRIT 2.1

Bluetooth		Max. input sensitivity	900 mV
4x AUX-in		S/N ratio	≥80 dB
Speakers	1x 6,5", 1x 3", 1x 1"	THD (1 kHz, 1 W)	≤0,3%
Output power (RMS)	2x 15 W + 30 W	Bass (100 Hz)	± 6 dB
Frequency response	80 ~ 20 000 Hz	Treble (10 kHz)	± 6 dB
Impedance	8 Ohm	Power supply	220-240 V / 50-60 Hz
Sensitivity	84 dB	Power consumption	85 W

Dimensions (WxHxD):

Subwoofer	150 x 318 x 355 mm
Speaker	124 x 205 x 195 mm

KM0539



## ACTIVE SPEAKER SYSTEM

HIGHLY FUNCTIONAL  
CLEAR, DEEP SOUND  
STYLISH DESIGN

## SPIRIT 2.0

Bluetooth		Max. input sensitivity	900 mV
2x AUX-in		S/N ratio	≥80 dB
Speakers	1x 3", 1x 1"	THD (1 kHz, 1 W)	≤0,3%
Output power (RMS)	2x 15 W	Bass (100 Hz)	± 6 dB
Frequency response	80 ~ 20 000 Hz	Treble (10 kHz)	± 6 dB
Impedance	8 Ohm	Power supply	220-240 V / 50-60 Hz
Sensitivity	84 dB	Power consumption	45 W

Dimensions (WxHxD):

Speaker	124 x 205 x 195 mm
---------	--------------------

KM0538



## ACTIVE SPEAKER SYSTEM

DEEP, BALANCED SOUND  
 POSSIBILITY OF CONNECTING  
 EXTERNAL DEVICES  
 VENEERED WOOD SPEAKER CABINETS

### INSPIRE

Bluetooth	Input sensitivity	800 mV
AUX-in	S/N ratio	70 dB
Speakers	THD (1 kHz, 1 W)	0,5%
Output power (RMS)	Bass (100 Hz)	± 10 dB
Frequency response	Treble (10 kHz)	± 10 dB
Impedance	Power supply	220-240 V / 50-60 Hz
Sensitivity	Power consumption	120 W
Dimensions (WxHxD)		180 x 310 x 290 mm



## 3.1 HOME CINEMA

TV SOUND ENHANCEMENT  
 SURROUND SOUND EFFECT  
 DEEP, POWERFUL SOUND

### CINEMATIX

Bluetooth	Input sensitivity	450 mV
FM radio	S/N ratio	70 dB
Speakers	THD (1 kHz, 1 W)	0,5%
Output power	Bass (100 Hz)	± 5 dB
Frequency response	Treble (10 kHz)	± 5 dB
Impedance	Power supply	220-240 V / 50-60 Hz
Dimensions (WxHxD):		
Subwoofer	310 x 300 x 370 mm	
Main unit	630 x 234 x 70 mm	
Front speakers	Ø 150 mm	



## SOUNDBAR 2.1

SOUNDBAR AND AMPLIFIER  
MULTIPLE MOUNTING OPTIONS  
MODERN DESIGN

# GHOST 2.1

Bluetooth		Impedance	4 Ohm + 6 Ohm
2x AUX-in		Max. input sensitivity	700 mV
Speakers	1x 4", 2x 2"	THD (1 kHz, 1 W)	1%
Output power (RMS)	30 W + 2x 15 W	Power supply	220-240 V / 50-60 Hz
Frequency response	40 ~ 20 000 Hz	Power consumption	60 W

Dimensions (WxHxD):

Subwoofer	465 x 260 x 95 mm
Soundbar	800 x 94 x 62 mm

KM0544

## SOUNDBAR 2.0

POWERFUL, DEEP SOUND  
MOUNTING: ON STANDS, HORIZONTALLY, ON A WALL  
MODERN DESIGN

# GHOST 2.0

Bluetooth		Impedance	8 Ohm
2x AUX-in		Max. input sensitivity	700 mV
Speakers	2x 2"	THD (1 kHz, 1 W)	1%
Output power (RMS)	2x 25 W	Power supply	220-240 V / 50-60 Hz
Frequency response	45 ~ 20 000 Hz	Power consumption	30 W

Dimensions (WxHxD):

Soundbar	800 x 94 x 62 mm
----------	------------------

KM0543





## DISCOVERY XL

WATERPROOF  
MAXXBASS TECHNOLOGY  
FAST PAIRING WITH A SMARTPHONE

Bluetooth + NFC	4.0
Range	Up to 10 m
IP rating	IP67
Speaker	Ø 47 mm
Frequency response	60 ~ 20 000 Hz
Output power	2x 10 W
Impedance	4 Ohm
USB port	Yes
Card reader	Yes, micro SD
AUX-in	Jack 3,5 mm
Call management function	Yes
Built-in battery	4400 mAh
Music playback time	Up to 6 h

KM0523XL





## DISCOVERY

WATERPROOF  
FAST PAIRING WITH A SMARTPHONE  
AVAILABLE IN TWO COLORS: GREY OR BLACK

Bluetooth + NFC	4.0
Range	Up to 30 m
IP rating	IP67
Speaker	Ø 40 mm
Frequency response	60 ~ 18 000 Hz
Output power	2x 4 W
Impedance	2 Ohm
Card reader	Yes, micro SD
AUX-in	Jack 3,5 mm
Call management function	Yes
Built-in battery	2200 mAh
Music playback time	Up to 10 h

Black - KM0523B | Grey - KM0523



## DISCOVERY LITE

EXCELLENT SOUND DYNAMICS  
FAST PAIRING WITH A SMARTPHONE  
STRENGTHENED CASING

Bluetooth + NFC	4.2
Range	Up to 10 m
IP rating	IP65
Speaker	Ø 40 mm
Frequency response	50 ~ 20 000 Hz
Output power	2x 7,5 W
Impedance	4 Ohm
AUX-in	Jack 3,5 mm
Call management function	Yes
Built-in battery	2200 mAh
Music playback time	Up to 6 h

KM0523L

# PORTABLE SPEAKERS



## EXECUTIVE

MAXXBASS TECHNOLOGY  
EXTERNAL DEVICES CHARGING  
STYLISH CASING

Bluetooth + NFC	4.0
Range	Up to 30 m
Speaker	Ø 58 mm
Frequency response	50 ~ 25 000 Hz
Output power	2x 12,5 W
Impedance	6 Ohm
USB port	Yes
AUX-in	Jack 3,5 mm
Headphone output	Jack 3,5 mm
Call management function	Yes
Built-in battery	6600 mAh
Music playback time	Up to 12 h



## BEAT

DYNAMIC SOUND  
FAST PAIRING WITH A SMARTPHONE  
ELEGANT, BLACK CASING

Bluetooth + NFC	4.0
Range	Up to 30 m
Speaker	Ø 50 mm
Frequency response	60 ~ 20 000 Hz
Output power	2x 5 W
Impedance	2 Ohm
AUX-in	Jack 3,5 mm
Headphone output	Jack 3,5 mm
Call management function	Yes
Built-in battery	4400 mAh
Music playback time	Up to 12 h



## SOUL

NATURAL SOUND

AVAILABLE IN TWO VERSIONS: MONO OR STEREO

AVAILABLE IN TWO COLORS: BLACK OR WHITE

Bluetooth	4.0
Range	Up to 10 m
Bluetooth profiles	HSP, HFP, A2DP, AVRCP
Speaker	Ø 40 mm
Frequency response	150 ~ 20 000 Hz
Output power	3 W
AUX-in	Jack 3,5 mm
Call management function	Yes
Built-in battery	500 mAh
Music playback time	Up to 6 h
Standby time	Up to 350 h

Black - KM0518 | White - KM0519



## SOUL 2

CLEAR SOUND

WIDE RANGE OF POSSIBILITIES

WATERPROOF

Bluetooth	2.1 + EDR
Range	Up to 20 m
Speaker	Ø 52 mm, 4 Ohm
Frequency response	60 ~ 20 000 Hz
Output power	8 W
Card reader	Yes, micro SD
AUX-in	Jack 3,5 mm
Call management function	Yes
Built-in battery	2600 mAh
Music playback time	Up to 6 h
IP rating	IPX6

KM0521S

www.krugermatz.com | 35 |

# PORTABLE SPEAKERS



## SOLO

COMPACT SIZE  
SD CARD READER  
STYLISH DESIGN

Bluetooth	4.0
Range	Up to 15 m
Speaker	Ø 40 mm
Frequency response	60 ~ 18 000 Hz
Output power	3 W
Impedance	2,6 Ohm
Card reader	Yes, micro SD
AUX-in	Jack 3,5 mm
Call management function	Yes
Built-in battery	400 mAh
Music playback time	Up to 6 h



## SOLO XL

MAXXBASS TECHNOLOGY  
POSSIBILITY OF CHARGING EXTERNAL DEVICES  
FAST PAIRING WITH A SMARTPHONE

Bluetooth + NFC	4.2
Range	Up to 20 m
Speaker	Ø 64 mm + 30 mm
Frequency response	50 ~ 20 000 Hz
Output power	15 W + 5 W
Impedance	4 Ohm + 6 Ohm
USB input	Yes, charging external devices
AUX-in	Jack 3,5 mm
Call management function	Yes
Built-in battery	4400 mAh
Music playback time	Up to 10 h



## ADVENTURE

POWERFUL, DYNAMIC SOUND  
HIGHLY FUNCTIONAL  
MODERN DESIGN

FM radio	
Bluetooth	2.1
Range	Up to 10 m
Midrange speaker	2", 2,4 Ohm
Subwoofer	4", 4 Ohm
Frequency response	100 ~ 20 000 Hz
Output power	2x 2 W + 7 W
Card reader	Yes, micro SD
AUX-in	Jack 3,5 mm
Built-in battery	1800 mAh
Music playback time	Up to 2 h (full volume)

KM0528



## ADVENTURE MINI

GOOD SOUND REPRODUCTION  
INCREDIBLY VERSATILE  
MODERN DESIGN

FM radio	
Bluetooth	2.1
Range	Up to 10 m
Speakers	1,4" + 3", 4 Ohm
Frequency response	100 ~ 20 000 Hz
Output power	2 W + 8 W
USB port	Yes
Card reader	Yes, micro SD
AUX-in	Jack 3,5 mm
Built-in battery	1500 mAh
Music playback time	Up to 2 h (full volume)

KM0528M

# PORTABLE SPEAKERS



## JOY

HIGH FIDELITY SOUND  
WIDE RANGE OF POSSIBILITIES  
MODERN DESIGN

FM radio	
Bluetooth	2.1
Range	Up to 10 m
Speaker	4", 4 Ohm
Frequency response	100 ~ 20 000 Hz
Output power	12 W
USB port	Yes
Card reader	Yes, micro SD
AUX-in	Jack 3,5 mm
Built-in battery	1500 mAh
Music playback time	Up to 2 h (full volume)



## JOY XXL

CLEAR, DEEP SOUND  
HIGHLY FUNCTIONAL  
MODERN DESIGN

FM radio	
Bluetooth	2.1
Range	Up to 10 m
Speaker	6" + 2", 4 Ohm
Frequency response	100 ~ 20 000 Hz
Output power	15 W + 3 W
USB port	Yes
Card reader	Yes, SD
AUX-in	2x jack 6,3 mm
Built-in battery	1800 mAh
Music playback time	Up to 2 h (full volume)



## HD4347 5.1 AV RECEIVER

POWERFUL, DYNAMIC SURROUND SOUND  
INCREDIBLY FUNCTIONAL  
SLENDER, ALUMINUM CASING

Radio FM	
Bluetooth	
RMS power	5x 80 W
Frequency response	20 ~ 60 000 Hz
HDMI	HDMI/4K (3840x2160 px)
Supports:	Dolby TrueHD / Dolby Digital Plus
	Dolby Digital DTS-HD Master Audio / DTS ES
Power supply	220-240 V / 50-60 Hz

I/O:	
HDMI	5x input, 1x output
Analogue video output	1x composite, 1x component
Analogue video input	3x composite, 2x component
Digital input	2x coaxial, 2x optical
Speaker output	5 channels
Analogue input	4x RCA
Subwoofer line out	1x RCA

Dimensions (WxHxD) 430 x 113 x 240 mm

KM0508



## 2.0 A50 AMPLIFIER

VERSATILE  
CLEAR AND DYNAMIC SOUND  
STYLISH, ALUMINUM CASING

Bluetooth	
USB port	MP3, WMA, WAV, AAC
RMS power	2x 45 W
Bass/treble control	
Phono input	2,5 mV
Line input	200 mV - 5 V
Power supply	115 V / 60 Hz (USA) 230 V / 50 Hz (EU)

I/O:	
USB port	
Analogue input	4x RCA
Digital input	1x coaxial, 1x optical
Line input	Jack 3,5 mm
Headphone output	Jack 6,3 mm

Dimensions (WxHxD) 430 x 72 x 240 mm

KM0507



## A30 STEREO AMPLIFIER

FUNCTIONAL  
CLEAR AND DYNAMIC SOUND  
STYLISH, ALUMINUM CASING

Bluetooth	4.0+EDR	I/O:	
Output power	2x 50 W	Analogue input	2x RCA
Max. output power	200 W	Digital input	Optical
Frequency response	20 ~ 20 000 Hz	Line input	Jack 3,5 mm
Impedance	4 Ohm	Subwoofer line out	Jack 6,3 mm
THD	0,05% (at 1 kHz)	Speaker output	2 channels
Power supply	220-240 V / 50-60 Hz		

Dimensions (WxHxD) 185 x 50 x 155 mm



## BLUETOOTH RECEIVER AND TRANSMITTER BT-1

FAST AND EASY PAIRING  
APT-X® AUDIO TECHNOLOGY  
WIDE RANGE OF FUNCTIONS

Bluetooth + NFC	4.0
Bluetooth profiles	A2DP, HFP, HSP, AVRCP, PBAP, MAP, SPP
Codecs	APT-X, MP3, SBC, AAC, AAC+
Sampling rates	Max. 48 kHz
Apt-X® technology	
I/O:	Micro USB, AUX-in, line out, optical output, optical input
Power supply	100-240 V / 50-60 Hz

Dimensions (WxHxD) 82 x 29 x 82 mm





## TURNTABLE TT-602

METAL HOUSING  
S-SHAPED TONERAM  
AUDACITY SOFTWARE INCLUDED

Frequency response	50 ~ 12 000 Hz
S/N ratio	60 dB
2 selectable speeds	33/45 rpm
Drive	Belt
Starting and breaking time	<1 s
USB interface	Vinyl digitalizing function (audio recording to PC)
Line outputs with built-in preamplifier	RCA
Power supply	100-240 V / 50-60 Hz
Power consumption	5,5 W

KM0517



## TURNTABLE TT-501

DUST COVER  
AUDACITY SOFTWARE INCLUDED  
DEEP AND CLEAR SOUND

Frequency response	100 ~ 12 000 Hz
S/N ratio	50 dB
2 selectable speeds	33/45 rpm
Drive	Belt
Anti-skating	0 ~ 4 g
Wow and flutter	<0,3% WRMS (JIS WTD)
Starting and breaking time	<1 s
USB interface	Vinyl digitalizing function (audio recording to PC)
Line outputs with built-in preamplifier	RCA
Power supply	100-240 V / 50-60 Hz
Power consumption	6 W

KM0516



# DJ-200

PROFESSIONAL DJ HEADPHONES  
POWERFUL BASS SOUND  
SWIVEL EARCUPS

## HEADPHONES



Speaker	Ø 50 mm
Driver	Dynamic
Frequency response	10 ~ 28 000 Hz
Impedance	64 Ohm
Sensitivity	97 dB ± 3 dB
Cord	180 cm
Plug	3,5 mm

KMDJ200



## DJ CONTROLLER DJ-003

BUILT-IN SAMPLER  
METAL CASING  
WIDE RANGE OF FUNCTIONS

4-channel audio interface	Sound card
Functions	Crossfader, hot cue, EQ, gain control, loop with pitch control, sampler, slicer, 8 effects controls
Software	Virtual DJ
Sample freq. rate	44.1/48/88.2/96/176.4/196 kHz
Bit resolution	24 bit
ASIO driver	Buffering 256, latency < 2 ms
I/O	Headphone, microphone, balanced XLR
Dimensions (WxHxD)	458 x 63 x 310 mm



## DJ CONTROLLER DJ-002

BUILT-IN AUDIO MIXER  
INTUITIVE OPERATION  
IMPRESSIVELY FUNCTIONAL

Standalone mixer	
Functions	Crossfader, MIDI control, EQ, gain control, loop with pitch control, effects parameter controls
Traditional mixer/CD player layout	
Software	Virtual DJ
Sample frequencies rate	44.1/48/96/192 kHz
Bit resolution	16/24 bit
I/O	Headphone, microphone, balanced XLR
Dimensions (WxHxD)	358 x 65 x 277 mm



## DJ CONTROLLER DJ-001

EASY-TO-USE  
LIGHTWEIGHT AND COMPACT  
PERFECT FOR BEGINNERS

Smooth JOG wheels	
Browse knob	
Bass and treble controls	
Functions	Crossfader, scratch, rev and sync, locator, cue points functions
Playlist management	
2-band equalizer	
Software	Virtual DJ
Power supply	DC 5 V (USB B type plug)
Dimensions (WxHxD)	300 x 46 x 110 mm

# HEADPHONES

## STREET 2

WIRED OR WIRELESS  
FOLDABLE DESIGN  
DURABLE CASE INCLUDED



# HEADPHONES

AVAILABLE  
IN THREE COLORS:



Bluetooth	4.0
Apt-X® technology	
Speaker	Ø 40 mm
Driver	Dynamic
Frequency response	20 ~ 20 000 Hz
Impedance	32 Ohm
Sensitivity	120 ± 3 dB
Built-in microphone	
Built-in rechargeable battery	
Playback/talk time	Up to 10 h

## STREET

WIRED OR WIRELESS  
POWERFUL BASS SOUND  
DURABLE CASE INCLUDED



# HEADPHONES

AVAILABLE  
IN THREE COLORS:



Bluetooth	4.1
MicroSD card player	Yes
Speaker	Ø 40 mm
Driver	Dynamic
Frequency response	20 ~ 20 000 Hz
Impedance	32 Ohm
Sensitivity	110 ± 3 dB
Built-in microphone	
Built-in rechargeable battery	
Playback/talk time	Up to 10 h



# SOUL 2

WIRED OR WIRELESS  
CLEAR, NATURAL SOUND  
FOLDABLE DESIGN

## HEADPHONES



AVAILABLE  
IN TWO COLORS:



Bluetooth	4.0
Apt-X® technology	
Speaker	Ø 40 mm
Driver	Dynamic
Frequency response	30 ~ 16 000 Hz

Impedance	32 Ohm
Sensitivity	113 dB ± 3 dB
Built-in microphone	
Built-in rechargeable battery	
Music playback time	Up to 8 h

# HEADPHONES

## KM 665BT

WIRELESS  
WALNUT WOOD  
CASE INCLUDED



# HEADPHONES

Bluetooth	4.1
Speaker	Ø 40 mm
Driver	Dynamic
Frequency response	20 ~ 20 000 Hz
Impedance	32 Ohm
Codecs	AAC
Built-in microphone	
Built-in battery	
Music playback time	Up to 6 h

## KM 670

WIRELESS  
NOISE CANCELLING  
WALNUT WOOD



# HEADPHONES

Bluetooth	4.0
Range	Up to 10 m
Speaker	Ø 40 mm
Driver	Dynamic
Frequency response	20 ~ 20 000 Hz
Impedance	32 Ohm
Built-in microphone	
Built-in battery	
Music playback time	Up to 11 h

## ZONE PRO

DEDICATED TO GAMERS  
COMFORTABLE EAR CUSHIONS  
RETRACTABLE MICROPHONE



## HEADPHONES

Speaker	Ø 40 mm
Driver	Dynamic
Frequency response	20 ~ 20 000 Hz
Impedance	32 Ohm
Sensitivity	118 dB ± 3 dB
Nominal input power	15 mW
Maximum input power	150 mW
Cord	250 cm
Plug	USB
Built-in microphone	

## F5A

WIRELESS  
ACTIVE NOISE CANCELLING  
PERFECT SOUND QUALITY



## HEADPHONES



AVAILABLE  
IN TWO COLORS:



Bluetooth + NFC	4.0 + EDR	Impedance	32 Ohm
Range	Up to 10 m	SPL	110 ± 3 dB
Active noise cancelling	Up to -15 dB	S/N ratio	> 85 dB
Apt-X® technology		Built-in microphone	
Codecs	SBC, AAC	Built-in rechargeable battery	
Frequency response	20 ~ 20 000 Hz	AUX-in	3,5 mm

# 10BT



## EARPHONES

WIRELESS  
NECKBAND  
SD CARD PLAYER

MicroSD card player	Yes
Bluetooth	4.1
Range	Up to 10 m
Bluetooth profiles	HSP, HFP, A2DP, AVRCP
Built-in microphone	
Built-in rechargeable battery	
Playback/talk time	Up to 6 h

# M7



## EARPHONES

TRUE WIRELESS  
CONTROL BUTTONS  
DEEP, CLEAR SOUND

Bluetooth	4.1
Range	Up to 10 m
Bluetooth profiles	HSP, HFP, A2DP, AVRCP
Frequency response	20 ~ 20 000 Hz
Impedance	16 Ohm
Built-in microphone	
Built-in rechargeable battery	
Standby time	Up to 30 h



# M5

WIRELESS  
APT-X® TECHNOLOGY  
WATERPROOF



## EARPHONES



AVAILABLE  
IN THREE COLORS:



Bluetooth	4.0	Frequency response	20 ~ 20 000 Hz
Range	Up to 10 m	Impedance	16 Ohm
IP rating	IPX4	SPL	91 ± 3 dB
Apt-X® technology		Built-in microphone	
Codecs	SBC, AAC	Built-in rechargeable battery	

# 220BT

WIRELESS  
WALNUT WOOD



## EARPHONES

Bluetooth	4.1
Range	Up to 10 m
Bluetooth profiles	HSP, HFP, A2DP, AVRCP
Frequency response	20 ~ 20 000 Hz
Impedance	16 Ohm
Built-in microphone	
Built-in rechargeable battery	
Standby time	Up to 150 h

# HEADPHONES



ZONE

*Dedicated to gamers  
Built-in microphone*



WAVE BT

*Wireless  
Available in two colors: white and black*



FLOW 2

*Wireless  
Built-in microphone*



F6A

*Active Noise Cancelling  
Airplane socket adapter*



KM 669

*Made of walnut wood  
Natural timbre of music*



PLAY

*Wireless  
Built-in microphone*



KM 665

*Available in two types of wood  
Clear, natural sound*



MONITOR

*Professional studio headphones  
Powerful, deep sound*



81BT

*Wireless  
Lightweight and comfortable*



998BT

*Wireless  
Control panel*



70BT

*Wireless  
Splash-proof*



89BT

*Wireless  
Available in two colors*



KM 108

*Several wood types  
Available with or without microphone*



MXB

*Bass boost  
Available with or without microphone*



P01

*Excellent sound dynamics  
Available with or without microphone*



P08

*Deep, clear sound  
Available with or without microphone*

# INSPIRATION

Krüger&Matz wants to inspire to live a life full of values and passion and by launching unique and affordable products, Krüger&Matz gives people tools to lead a better life.

Thus, the portfolio of this brand includes e.g.: stylish headphones with excellent quality sound, audio equipment, as well as modern mobile devices, such as tablets and smartphones.

# QUALITY & DESIGN

Krüger&Matz is a brand that gives people a choice. It is up to the consumer to decide whether to buy a product from a well-known global manufacturer or choose equally functional and technologically advanced, however, more affordable Krüger&Matz product.

Maybe it is worth to consider a more affordable option and spend the saved money on pursuing one's passions?

Your sales representative

## Krüger&Matz

