teesa

HOME APPLIANCES













AROMA

Fall for Aroma...







AROMA 700 AUTOMATIC COFFEE MACHINE

CUSTOMIZATION:

- Adjustable size of coffee: 30-240 ml
- Adjustable water quantity: 30-480 ml
- Adjustable frothing time: 3-120 s
- Aroma settings: 2
- Coffee strength settings: 3
- Amount of ground coffee: 5-13 g
- Adjustable coffee spout: 7-11 cm
- Grinder settings: 6
- Adjustable coffee brewing temperature
- Adjustable water hardness

FUNCTIONS:

- 2in1: beans and ground coffee
- Cup warming
- · Milk frother
- Preparing two cups simultaneously
- · Steam and hot water function
- Automatic cleaning / descaling

TECHNICAL DATA:

- Metal grinder
- Pump pressure: 15 bar
- Beans container capacity: 200 g
- Heating system: thermoblock
- Maximum power: 1400 W

AROMA 300 MANUAL COFFEE MACHINE

FUNCTION:

- 3in1: ground coffee, E.S.E. pod and coffee capsule
- Cup warming
- · Milk frother
- Steam function
- Hot water function
- Pre-brewing function
- Removable drip tray
- Removable water container
- Automatic shut-off

TECHNICAL DATA:

- Pump pressure: 20 bar
- Water container capacity: 1,5 I
- Max. cup height: 85 mm
- Heating system: thermoblock
- Maximum power: 1400 W
- Available in two colors:





Coffee machines and accessories



MAIN FEATURES:

- · For coffee beans grinding
- Pulse operating mode
- Transparent lid
- Stainless steel grinding blade and housing
- Cord storage
- · Anti-slip feet

TECHNICAL DATA:

- Capacity: 50 g
- Power: 150 W
- Dimensions (LxWxD): 84.3 x 170 x 102.5 mm

MAIN FEATURES:

- For coffee beans grinding
- Pulse operating mode
- Transparent lid
- Stainless steel grinding blade and housing
- Large backlit button for easy operation
- Operates only with lid attached
- Cord storage
- · Anti-slip feet

TECHNICAL DATA:

- Capacity: 50 g
- Power: 150 W
- Dimensions (LxWxD): 105.4 x 174 x 105.4 mm

Main features:

- · Heating, frothing and mixing function
- Two temperature settings
- · Automatic switch off
- Magnetic whisk attachment
- 360° base
- Transparent lid
- · Stainless steel milk container
- · Heat-resistant handle
- Cord storage

TECHNICAL DATA:

- Milk container capacity: 600 ml
- · Amount of milk: when frothing: 50 - 200 mlwhen stirring: 50 - 300 ml
- Power: 550 650 W
- Dimensions (LxWxD): 105,4 x 203 x 105,4 mm
- · Available in two colors:





Gas barbecue grills



BBQ 2000

GAS BARBECUE GRILL – 2 BURNERS TSA0080

- Total power: 5 kW
- Type of gas: butane / propane / LPG
- Category: I3 B/P(37)
- Pressure: 37 mBar
- 2 burners, 1 grill grates
- Cooking area: 46 x 34 cm
 2 side tables: 28 x 32 cm
- Ignition: piezoelectric
- Ignition: piezoeied
- Grease drip cupCool touch handle
- Lid / panel / side tables: powder coated steel (CRS)
- Burners: stainless steel
- Grill grate / warming rack: porcelain enameled iron
- Flame tamer: aluminum
- Handle: bakelite
- Dimensions (WxHxD): 98 x 100 x 44 cm



BBQ 3000

GAS BARBECUE GRILL — 3 BURNERS TSA0081

- Total power: 9 kW
- Type of gas: butane / propane / LPG
- Category: I3 B/P(37)
- Pressure: 37 mBar
- 3 burners, 2 grill grates
- Cooking area: 48 x 40 cm
- 2 side tables: 48.5 x 30 cm
- Warming rack: 43 x 11 cm
- Ignition: automatic
- Lid thermometer
- Lid thermomet
- Grease tray
- Storage cabinet
- Lid / panel / side tables: powder coated steel (CRS)
- Burners: stainless steel
- Grill grate / warming rack: porcelain enameled iron
- Flame tamer: aluminum
- Handle: stainless steel
- Dimensions (WxHxD): 108 x 108,5 x 57,5 cm



BBQ 5000

GAS BARBECUE GRILL – 5 BURNERS TSA0082

- Total power: main burners: 12 kW, side burner: 2 kW
- Type of gas: butane / propane / LPG
- Category: I3 B/P(37)
- Pressure: 37 mBar
- 4 main burners + 1 side burner, 2 grill grates
- Cooking area: 59 x 40 cm
- 2 side tables: 48,5 x 30 cm
- Warming rack: 54 x 11 cm
- Ignition: automatic
- Lid thermometer
- Grease tray
- Storage cabinet
- Lid / panel / side tables: powder coated steel (CRS)
- · Burners: stainless steel
- Grill grate / warming rack: porcelain enameled iron
- Flame tamer: aluminum
- Handle: stainless steel
- Dimensions (WxHxD): 119 x 108,5 x 57,5 cm

Portable freezers



PROFESSIONAL PORTABLE FREEZER TSA5002

- Capacity: 40 I
- Refrigerant: R134a (52 g)
- Insulation: cyclopentane
- Cooling performance: 10°C ~ -18°C
- Climate class: 10°C ~ 43°C (SN/N/ST/T)
- Noise: 40 dB
- Power supply: DC 12/24 V | 4,6/2,3 A
- Weight: 15 kg



COOLER BOX TSA5000

- Capacity: 24 I
- Cooling type: peltier system, freon-free
- Insulation: PU foam
- Max. power (heating): 58 W
- Min. power (ECO mode): 11 W
- Cooling: 15°C 18°C below ambient temperature (minimum 10°C)
- Heating: up to +65°C
- Power supply: DC 12 V; AC 220-240 V / 50-60 Hz



PORTABLE FREEZER WITH GAS SUPPLY FUNCTION TSA5003

- Capacity: 42 I
- Refrigerant: NH3 85g ammonia
- Insulation: cyclopentane
- Absorption system
- Climate class: SN
- Cooling performance: up to 0°C
- Gas category: 13 B / P. (37)
- Gas usage: 206 W \leq 15 g/h
- Power supply DC: 12 V / 7,5 A / 90 W
- Power supply AC: 230 V / 50 Hz / 0,39 A / 90 W
- Power consumption: 55 W
- Weight: 18,5 kg



COOLER BOX TSA5001

- Capacity: 32 I
- Cooling type: peltier system, freon-free
- Insulation: cyclopentane
- Max. power (heating): 58 W
- Min. power (ECO mode): 8 W
- Cooling: 18°C 22°C below ambient temperature (minimum 6°C)
- \bullet Heating: up to +65°C
- Power supply: DC 12 V; AC 220-240 V / 50-60 Hz

Fans





- Power: 35 W
- Power cable length: 150 cm
- Automatic oscillation: 90°
- Adjustable tilt angle
- 3 speed modes
- Grill diameter: 34 cm



STAND FAN TSA8022

- Power: 45 W
- Power cable length:180 cm
- Automatic oscillation: 90°
- Adjustable tilt angle
- 3 speed modes
- Grill diameter: 43 cm



STAND FAN TSA8021

- Power: 45 W
- Power cable length: 18 cm
- Automatic oscillation: 80°
- Adjustable tilt angle
- 3 speed modes
- Grill diameter: 43 cm
- Timer: up to 2 h



STAND FAN TSA8020

- Power: 55 W
- Power cable length: 150 cm
- Automatic oscillation: 75°
- Adjustable tilt angle
- 8 speed modes
- 3 working modes: normal, natural, sleep
- Grill diameter: 42,5 cm
- Timer: 0,5-7,5 h
- Remote control

Fan heaters



FAN HEATER TSA8025

- Rated power: 2000 W
- 3 work modes: cool air / warm air / hot air
- 2 heating levels: 1000 W / 2000 W
- Adjustable room thermostat
- Automatic control temperature
- Noise level: <50 dB
- Spiral heating elements
- Power indicator
- Handle
- Protection against overheat
- Power cord length: 120 cm



FAN HEATER TSA8026

- Rated power: 2000 W
- 3 work modes: cool air / warm air / hot air
- 2 heating levels: 1000 W / 2000 W
- Adjustable room thermostat
- Automatic control temperature
- Noise level: <50 dB
- Spiral heating elements
- Power indicator
- Handle
- Protection against overheat
- Power cord length:120 cm



FAN HEATER TSA8027

- Rated power: 2000 W
- 3 work modes: cool air / warm air / hot air
- 2 heating levels: 1000 W / 2000 W
- Adjustable room thermostat
- Automatic control temperature
- Noise level: <50 dB
- Spiral heating elements
- Power indicator
- Handle
- Protection against overheat
- Power cord length: 120 cm



FAN HEATER TSA8028

- Rated power: 2000 W
- 3 work modes: cool air / warm air / hot air
- 2 heating levels: 1000 W / 2000 W
- Adjustable room thermostat
- Automatic control temperature
- Noise level: <50 dB
- Spiral heating elements
- Power indicator
- Handle
- Protection against overheat
- Power cord length: 120 cm

Electric oil heaters



ELECTRIC OIL HEATER TSA8029

- Rated power: 800 W
- Fins: 7
- Fins size: 100 x 335 mm
- Adjustable thermostat
- Automatic control temperature
- Power indicator
- Handle
- Protection against overheat
- Power cord length: 120 cm



ELECTRIC OIL HEATER TSA8030

- Rated power: 2000 W
- Fins: 9
- Fins size: 110 x 580 mm
- 3 heating modes
- Adjustable thermostat
- Automatic control temperature
- Power indicator
- Handle
- Cord storage
- Protection against overheat
- Power cord length: 120 cm



ELECTRIC OIL HEATER TSA8031

- Rated power: 2500 W
- Fins: 11
- Fins size: 110 x 580 mm
- 3 heating modes
- Adjustable thermostat
- Automatic control temperature
- Power indicator
- Handle
- Cord storage
- Protection against overheat
- Power cord length: 120 cm

Steam irons



STEAM IRON TSA2015

- Water tank capacity: 400 ml
- Continuous steam output control
- Dry and steam ironing with spray and steam burst functions
- Vertical steam burst ± 130 g
- Automatic switch off
- Max. power: up to 2600 W
- Anti-calc filter
- Self-cleaning function



STEAM IRON TSA2025

- Water tank capacity: 380 ml
- Continuous steam output control
- Dry and steam ironing with spray and steam burst functions
- \bullet Vertical steam burst \pm 130 g
- Automatic switch off
- Max. power: up to 2600 W
- Anti-calc filter
- Self-cleaning function







MULTIFUNCTIONAL FOOD PROCESSOR TSA3530

- Max. power: 1200 W
- LCD displayColor: silver
- Aluminum housing
- Adjustable speed with turbo function
- 6 I stainless steel bowl
- Special lid to protect against splashing
- 1,5 I blender jug
- Automatic tilt head for easy operation
- Anti-slip pads

Set includes:

• Blender, stainless steel bowl, mincer (3 grinding discs), dough hook, beater, whisk



HAND MIXER TSA3536

- Power: 400 W
- Turbo function
- 5 speed settings
- Eject button
- Dishwasher safe attachments
- Quiet and lightweight
- Power cord storage
- Cord length: 148 cm

Set includes:

- Mixer
- Beaters
- Dough hooks



HAND BLENDER TSA3515

- Adjustable speed: 9000~16000 rpm
- Turbo function
- High quality stainless steel blender stick
- Max. power: up to 800 W
- · Color: white with stainless steel elements

Set includes:

- Blender stick
- Measuring cup
- Whisk
- Food processor (dice, slicer, shredder)
- Hanging loop



HAND BLENDER TSA3520

- Adjustable speed: 9000~16000 rpm
- Turbo function
- High quality stainless steel blender stick (suitable for high temperature food processing)
- Max. power: up to 800 W
- Color: black with stainless steel elements

Set includes:

- Blender stick
- Measuring cup
- Whisk
- Hanging loop



HAND BLENDER TSA3505

- Adjustable speed: 9000~16000 rpm
- Turbo function
- High quality stainless steel blender stick (suitable for high temperature food processing)
- Max. power: up to 600 W
- Color: white with turquoise elements

Set includes:

- Hand blender with double blade (vertical and horizontal)
- Hanging loop



SLOW JUICER TSA3220

- Power: 150 W
- Single auger construction
- Speed: 65 rpm
- Reverse rotations
- Continuous working time: up to 10 min
- Number of containers: 2
- Vertical design
- Stainless steel housing
- Noise level: <65 dB
- BPA free



PERSONAL BLENDER TSA3535

- Power: 300 W
- Speed: 20000 rpm
- Number of jars: 2
- Jar capacity: 500 ml
- Jars: BPA free tritan jar
- · Housing: stainless steel
- » Available accessories: blender cup





JUICE EXTRACTOR TSA3015

- 2-speed selection
- Safety locking switch
- Separate pulp (1,2 I) and juice (0,5 I) containers
- Detachable, easy-to-clean parts
- 76 mm wide feed tube diameter (enables squeezing a whole fruit or vegetable, w/o prior slicing)
- Max. power: up to 800 W
- Available in two colors: white and black



CITRUS JUICER TSA3010

- Capacity: 1,2 I (white) or 1 I (black)
- 2 cones for small & large fruits
- Two directions of rotation
- Dust cover
- Detachable, easy-to-clean parts
- Max. power: up to 40 W



SALAD SLICER TSA3020, TSA3025

- 5 cones for different use: fine slicing cone, fine shredding cone, grating cone, slicing cone, shredding cone
- Detachable, easy-to-clean parts
- Easy-to-assemble
- Max. power: up to 150 W



SANDWICH MAKER TSA3221

- Max. power 800 W
- · Heating and power light
- Heatproof grip
- Ceramic coating
- Interchangeable plaits: grill, waffle iron, and sandwich maker
- Overheating protection
- Stainless steel cover
- Thermostat control
- Anti-slip base
- Cable length: 90 cm



SANDWICH MAKER TSA3222

- Max. power: 800 W
- · Heating and power light
- Heatproof grip
- Ceramic coating
- Overheating protection
- Stainless steel cover
- Thermostat control
- Anti-slip base
- Cable length: 90 cm



CONTACT GRILL TSA3223

- Max. power: 1500 W
- Panini plates
- 3 grill positions
- Removable, non-stick, ribbed plates
- Adjustable hinge for even cooking
- Grease outlets
- Thermostat knob
- Heatproof grip
- Overheating protection
- · Stainless steel cover
- Cord length: 90 cm

Food dehydrator







- LCD display
- 5 transparent containers
- Container diameter: 32 cm
- Total capacity: 5 kg
- Adjustable timer: 1~48 h
- Adjustable temperature: 40~70°C
- ABS housing
- Max. power: 250 W



FOOD DEHYDRATOR TSA3030

- 5 transparent containers
- Container diameter: 32 cm
- Total capacity: 5 kg
- Adjustable temperature: 35~70°C
- ABS housing
- Max. power: 250 W

Electric kettles



ELECTRIC KETTLE TSA1510

- Capacity: 1,8 I
- 360° base
- Flat, embedded heating element
- Stainless steel and borosilicate glass body, durable and stain resistant
- Blue backlight during operation
- · Boil-dry protection
- Removable filter (2 pcs)
- Max. power: up to 2200 W
- Available in three colors:







ELECTRIC KETTLE TSA1020

- Capacity: 1,8 I
- 360° base
- Flat, embedded heating element
- High quality white plastic casing
- Backlight during operation
- Boil-dry protection
- Removable filter (2 pcs)
- Max. power: up to 2200 W
- Available in two colors:





ELECTRIC KETTLE TSA1520

- Capacity: 1,7 I
- 360° base
- Flat, embedded heating element
- High quality, brushed stainless steel casing with black elements
- Backlight during operation
- · Boil-dry protection
- Removable filter (2 pcs)
- Max. power: up to 2200 W
- Available in two colors:



FIFCTRIC KETTLE TSA1010

- Capacity: 1,7 I
- 360° base
- Flat, embedded heating element
- High quality white plastic casing
- Backlight during operation
- Boil-dry protection
- Removable filter (2 pcs)
- Max. power: up to 2200 W



KITCHEN SCALE WITH BOWL TSA0805

- Max. load: 5 kg
- Min. load: 5 g
- Graduation: 1 g
- Units: g, lb:oz, ml, fl.oz
- Stainless steel 1,8 I bowl
- Outer casing made of plastic
- Automatic switch off
- Tare function
- Power supply: 2x AAA battery



KITCHEN SCALE TSA0804

- Max. load: 5 kg
- Min. load: 5 g
- Graduation: 1 g
- Units: g, oz, ml, lb
- Automatic switch off
- Tare function
- Tempered glass platform
- Power supply: CR2032 battery
- Available in two colors:



JEWELRY SCALE TSA0803

- Max. weight: 500 g
- Min. weight: 1 g
- Resolution: 0,1 g
- Units: g, ct, dwt, gn
- Function keys (mode, tare, power)
- LCD display
- Power supply: 2x AAA battery



Bathroom scales



BATHROOM SCALE TSA0801

- Max. load: 180 kg
- Min. load: 5 kg
- Division: 0,1 kg
- Weight unit: kg / lb / st: lb
- Function key
- LCD display
- Auto on/off function
- Power supply: CR2032 battery



BATHROOM SCALE BODY ANALYSER TSA0802

- Max. load: 150 kg
- Min. load: 6 kg
- Division: 0,1 kg
- Weight unit: kg / lb / st
- 10 users memory
- Function keys
- LCD display
- Measures: weight, body fat, muscle and bone percentage, hydration, BMI, daily calories requirement
- Auto on/off function
- Power supply: CR2032 battery



Hair dryers





- 3 speed settings
- Cool shot
- Removable rear grill
- Lightweight construction
- Concentrator
- Diffuser
- Maximum power: 2000 W
- Cord length: 180 cm
- Weight: 483,5 g



Cool shot

Diffuser

Removable rear grill

Concentrator 13 mm

• Cord length: 180 cm

• Weight: 620 g

Maximum power: 2200 W



- Long-life AC motor
- Ion function
- 3 heat levels
- 2 speed settings
- Cool shot
- Removable rear grill
- Ergonomic handle
- Concentrator 13 mm
- Diffuser
- Maximum power: 2300 W
- Cord length: 180 cm
- Weight: 683 g



Personal care



CUT PRO X500 CORDLESS HAIR CLIPPER TSA0522

- Adjustable cutting lengths
- 4 attached combs
- Cord and cordless use
- Charging indicator
- Detachable cutter for easy cleaning
- Cutter width: 45 mm
- Power: 3 W
- Run time: up to 4 h
- Battery: 2000 mAh



CUT PRO X900 CORDLESS HAIR CLIPPER TSA0523

- Adjustable cutting lengths
- 4 attached combs
- Cord and cordless use
- LED display
- Detachable cutter for easy cleaning
- Charging station for convenient charging
- Cutter width: 45 mm
- Power: 3 W
- Run time: up to 2 h
- Battery: 1300 mAh



Personal care





HYPERCARE T200 CORDLESS BEARD TRIMMER TSA0524

- Adjustable comb
- Cordless use
- Charging indicator
- Charging station for convenient charging
- Cutting length lock
- Cutter width: 32 mm
- Power: 1,5 W
- Run time: up to 45 min
- Battery: 1000 mAh



HYPERCARE PRO700 ROTARY SHAVER TSA0515

- Built-in pop-up trimmer perfect for trimming sideburns
- High-quality steel blades
- Protection against beard pulling when low battery
- Wet and dry usage
- 5 LED battery indicators
- Quiet operation
- Anti-slip grip
- Power: 8 W
- Protection class: IPX7
- Rotation speed: 2200 2800 rpm
- Run time: up to 120 min
- Battery: 800 mAh
- » Available accessories: shaving head



HYPERCARE PRO300 ROTARY SHAVER TSA0520

- Built-in pop-up trimmer perfect for trimming sideburns
- High-quality steel blades
- Protection against beard pulling when low battery
- Quiet operation
- Easy to clean
- Ergonomic design
- Power: 2 W
- Rotation speed: 6000 rpm
- Run time: up to 45 min
- Battery: 2x 600 mAh
- » Available accessories: shaving head



Personal care



ELECTRIC FOOT FILE TSA0501

- Easy-to-use
- Replaceable roller grinding head
- Roller protection
- Waterproof
- Power supply: 2x AA battery 1,5 V

Set includes:

- Additional grinding head
- Cleaning brush
- » Available accessories: replaceable roller grinding head



SONIC FACE BRUSH TSA0502

- 2 operation speeds:
- up to 9000 strokes/min
- up to 12000 strokes/min
- Protection class: IPX6
- Compact size, ergonomic design
- 2 attachments: silicone and cotton pads
- Rated power: ≤ 0,52 W
- Power supply: 1x AA battery
- » Available accessories: replaceable silicone and cotton pads



ROTARY FACE BRUSH TSA0504

- 2 operation speeds:
- high: 220 ± 20 rpm
- how: $180 \pm 20 \text{ rpm}$
- Replaceable brush head
- Protection class: IPX6
- Rated power: $\leq 1,05 \text{ W}$
- Power supply: 2x AA battery
- » Available accessories: replaceable brush head

Sonic toothbrushes





TOOTHBRUSH TSA8010

- 3 work modes: Normal / Massage / Soft
- 31000 strokes/min (each mode)
- Protection class: IPX7
- 2 min auto-off, 30 sec. timer:
- Inductive charger
- Up to 180 minutes of continuous use on one charge
- Battery: 700 mAh
- Included: 2 heads (medium)
- » Available accessories: replaceable heads (soft, medium, hard)



TOOTHBRUSH TSA8011

- 5 work modes: Clean / White / Polish / Massage / Sensitive
- Protection class: IPX7
- 2 min auto-off, 30 sec. timer;
- Inductive charger
- Up to 180 minutes of continuous use on one charge
- Battery: 700 mAh
- Included: 2 heads (medium)
- » Available accessories: replaceable heads (soft, medium, hard)









RECHARGEABLE STICK **VACUUM CLEANER TSA5025**

- Cordless handheld vacuum cleaner
- 2 performance levels
- Backlight of cleaning surface
- Docking station
- Easy-to-empty dust container
- Maneuverable, lightweight and easy-to-use
- Power: 150 W
- Noise level: 82 dB
- Dust container capacity: 0,5 I
- Maximum runtime: up to 50 min
- Battery: 25,2 V; 2000 mAh
- Weight: 3,4 kg





RECHARGEABLE STICK **VACUUM CLEANER TSA5012**

- Cordless handheld vacuum cleaner
- 2 performance levels
- Backlight of cleaning surface
- Foldable handle
- Docking station
- Easy-to-empty dust container
- Maneuverable, lightweight and easy-to-use
- Power- 120 W
- Noise level: 82 dB
- Dust container capacity: 0,6 I
- Maximum runtime: up to 30 min
- Battery: 18 V; 2000 mAh
- Weight: 3 kg







VACUUM GREEN BAGLESS VACUUM CLEANER TSA5015

- Rubber wheels
- · Auto cord rewinder
- Vertical and horizontal storing
- · Easy-to-empty dust container
- Power: 700 W
- Noise level: 74 dB
- Dust bag: 21
- Exhaust filter: HEPA H12
- Weight: 3,28 kg
- » Available accessories: set of filters



ECO WHITE 700

BAGGED VACUUM CLEANER TSA5020

- Rubber wheels
- · Auto cord rewinder
- Power control
- Full dust bag indicator
- Vertical and horizontal storing
- 360° swivel hose
- Power: 700 W
- Noise level: 69 dB
- Dust bag: 3 I, paper
- Exhaust filter: HEPA H12
- Weight: 3,2 kg
- » Available accessories: paper bags, HEPA H12 filter



ERIS 750

BAGGED VACUUM CLEANER TSA5011

- Rubber wheels
- Auto cord rewinder
- Power control
- Full dust bag indicator
- Vertical and horizontal storing
- 360° swivel hose
- Power: 750 W
- Noise level: 79 dB
- Dust bag: 2 I, paper or textile
- Exhaust filter: HEPA H13
- Weight: 3,2 kg
- » Available accessories: paper and textile bags, HEPA H12 filter



Cleaning appliances and supplies



SMOOTH TOUCH WINDOW VACUUM CLEANER TSA5010

- Non-slip, rubber handle, quiet operation, low weight, drip and streak-free results, quick water tank emptying, hand vacuum cleaner function
- Working width of vacuum nozzles: 28 cm, 17 cm
- Dirty water container capacity: 150 ml
- Water tank capacity: 160 ml
- Power: 12 W
- Protection class: IPX4
- Noise level: 65 dB
- Battery: 3,7 V; 2000 mAh
- Maximum runtime: up to 40 min
- Weight: 0,78 kg



EASY CLEAN 1 CLEANING MOP TSA0040

- Rotary mechanism
- Microfiber cloth head
- 2 mop head pieces in set
- Adjustable handle length: 100-130 cm
- Bucket capacity: 6,5 I
- Detachable spill spout
- Bucket dimensions (LxWxD): 46 x 26 x 25 cm
- » Available accessories: replaceable microfiber cloth head



EASY CLEAN 2 CLEANING MOP TSA0041

- Rotary mechanism
- Microfiber cloth head
- 2 mop head pieces in set
- Adjustable handle length: 100-127 cm
- Bucket capacity: 5 l
- Bucket dimensions (LxWxD): 45 x 26 x 22 cm
- » Available accessories: replaceable microfiber cloth head





INDUCTION HOB CLEANER TSA0011



FRIDGE CLEANER TSA0025



OVEN, GRILL AND FIREPLACE CLEANER TSA0020



LCD DISPLAY CLEANER TSA0030



FLOOR CLEANER CONCENTRATE TSA0031



GLASS CLEANING CONCENTRATE TSA0012, TSA0032



HOUSEHOLD DESCALER TSA0010

DISTRIBUTOR

TEESA is like a real woman – likes to be surrounded by pretty and functional things which allow quick managing of every situation without ruining the family's budget. That is why, the brand provides with a wide range of home appliances, guaranteeing the highest level of quality at a very attractive price

TEESA gives the enormity of tools that not only help putting house in order, but also enable preparing the most exquisite dishes as well as healthy, freshly squeezed fruit and vegetable juices.

All information contained in this catalog does not constitute a trade offer in the meaning of article 66 §1 of the Polish Civil Code. LECHPOL ELECTRONICS Sp. z o.o. Sp.k. reserves the rights to errors and misprint